

飲用水樣品檢測報告

委託單位：宏碁智新股份有限公司
受驗單位：宏碁智新股份有限公司
樣品特性：水樣
樣品編號：NAJ22900473001 (NPD22904349001)
採樣單位：台灣檢驗科技股份有限公司
採樣方法：NIEA W101.56A
採樣地點：新北市汐止區新台五路一段88號9樓

檢測目的：客戶自評
採樣時間：111年09月27日 16時01分
至：111年09月27日 16時03分
收樣時間：111年09月28日 07時51分
報告日期：111年10月05日
報告編號：NAJ2290047301
聯絡人：黃明珠
電話/傳真：07-3012121ext3169 / 07-3012892

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

- 有機檢測類：周峻名(IGO-04)。
- 本報告共2頁，分離使用無效。
- 測定值低於方法偵測極限(MDL)時，以“ND”表示，並註明方法偵測極限(MDL)；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。
- 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司高雄分公司

負責人：曾偉明

檢驗室主管：劉士萍

(第1頁，共2頁)

報告專用章

台灣檢驗科技股份有限公司
高雄分公司環境實驗室-高雄
負責主管：曾偉明 劉士萍

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意本條關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所記錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



台灣檢驗科技股份有限公司高雄分公司

行政院環保署許可證字號：環署環檢字第105號

樣品檢測報告

樣品編號：NAJ22900473001 (NPD22904349001)

序號	樣品編號		MDL	單位	飲用水水質標準	NAJ22900473001 RP722-10W淨水器出口水樣	-	-	-	-	-	-
	檢測項目	檢測方法										
1	1,1,1-三氯乙烷	NIEA W785.57B	0.00033	mg/L	0.20	ND	-	-	-	-	-	-
2	1,1-二氯乙烷	NIEA W785.57B	0.00031	mg/L	0.007	ND	-	-	-	-	-	-
3	鄰-二氯苯(1,2-二氯苯)	NIEA W785.57B	0.00032	mg/L	0.6	ND	-	-	-	-	-	-
4	1,2-二氯乙烷	NIEA W785.57B	0.00035	mg/L	0.005	ND	-	-	-	-	-	-
5	對-二氯苯	NIEA W785.57B	0.00029	mg/L	0.075	ND	-	-	-	-	-	-
6	苯	NIEA W785.57B	0.00033	mg/L	0.005	ND	-	-	-	-	-	-
7	四氯化碳(四氯甲烷)	NIEA W785.57B	0.00030	mg/L	0.005	ND	-	-	-	-	-	-
8	順-1,2-二氯乙烷	NIEA W785.57B	0.00031	mg/L	0.07	ND	-	-	-	-	-	-
9	二氯甲烷	NIEA W785.57B	0.00041	mg/L	0.02	ND	-	-	-	-	-	-
10	四氯乙烷	NIEA W785.57B	0.00033	mg/L	0.005	ND	-	-	-	-	-	-
11	甲苯	NIEA W785.57B	0.00031	mg/L	0.7	ND	-	-	-	-	-	-
12	反-1,2-二氯乙烷	NIEA W785.57B	0.00031	mg/L	0.1	ND	-	-	-	-	-	-
13	三氯乙烷	NIEA W785.57B	0.00041	mg/L	0.005	ND	-	-	-	-	-	-
14	氯乙烷	NIEA W785.57B	0.00004	mg/L	0.0003	ND	-	-	-	-	-	-
15	二甲苯	NIEA W785.57B	0.00076	mg/L	0.5	ND	-	-	-	-	-	-
	以下空白											

報告專用章
 台灣檢驗科技股份有限公司
 高雄分公司環境實驗室-高雄
 負責人：曾偉明
 檢驗室主管：劉士萍

(第2頁, 共2頁)

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將僅反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

Analytical Report

Client Name : AcerPure Inc.	Analytical purpose : Self-assessment
Testee : AcerPure Inc.	Sampled date : 2022/09/27 16:01
Matrix : Water sample	Until : 2022/09/27 16:03
Sample no. : NAJ22900473001(NPD22904349001)	Received date : 2022/09/28 07:51
Sampled by : SGS Taiwan Ltd.	Date reported : 2022/10/05
Sampling method : NIEA W101.56A	Report no : NAJ2290047302
Sampling location : 9F,88, Sec. 1, Xintai 5th Rd. Xizhi, New Taipei City 221, Taiwan	Contact Person : Ming-Chu Huang
	TEL/FAX : 07-3012121 ext3169 /07-3012892

REMARK : 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
 2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
 3. If there are any discrepancy, the Mandarin version shall prevail.




Pannu Liu / Manager-Tech.

SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

Page(1of2)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWB 2617794

飲用水樣品檢測報告

委託單位：宏基智新股份有限公司
 受驗單位：宏基智新股份有限公司
 樣品特性：水樣
 樣品編號：NAJ22900473001 (NPD22904349001)
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新北市汐止區新台五路一段88號9樓

檢測目的：客戶自評
 採樣時間：111年09月27日16時01分
 至：111年09月27日16時03分
 收樣時間：111年09月28日07時51分
 報告日期：111年10月05日
 報告編號：NAJ2290047301
 聯絡人：黃明珠
 電話/傳真：07-3012121ext3169 / 07-3012892

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：

有機檢測類：周峻名(IGO-04)。

2. 本報告共2頁，分離使用無效。

3. 測定值低於方法偵測極限(MDL)時，以“ND”表示，並註明方法偵測極限(MDL)；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

4. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，係在委託人/申報人指示下，以本公司人員最佳之專業知能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司高雄分公司

負責人：曾偉明

檢驗室主管：曾偉明

(第1頁，共2頁)

報告專用章

台灣檢驗科技股份有限公司
 高雄分公司環境實驗室-高雄
 負責主管：曾偉明
 檢驗室：劉士萍

TWD 6843292

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將違反執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。

Analytical Report

Client Name :	AcerPure Inc.	Analytical purpose :	Self-assessment
Testee :	AcerPure Inc.	Sampled date :	2022/09/27 16:01
Matrix :	Water sample	Untill :	2022/09/27 16:03
Sample no. :	NAJ22900473001(NPDP22904349001)	Received date :	2022/09/28 07:51
Sampled by :	SGS Taiwan Ltd.	Date reported :	2022/10/05
Sampling method :	NIEA W101.56A	Report no. :	NAJ2290047302
Sampling location :	9F,88, Sec. 1, Xintai 5th Rd. Xizhi, New Taipei City 221, Taiwan	Contact Person :	Ming-Chu Huang
		TEL/FAX :	07-3012121 ext3169 /07-3012892

REMARK : 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.



Pannu Liu / Manager-Tech.

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

Page(1 of 2)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TWB 2617794



Analytical Report

Sample Number : NAI22900473001(NPDD22904349001)

NO.	Sample Number		MDL	UNIT	Drinking Water Standards	NAJ22900473001 RP722-10W RO Water Purifier Faucet	-	-	-
	ITEM	METHOD							
1	1,1,1-trichloroethane	NIEA W785.57B	0.00033	mg/L	0.20	ND	-	-	-
2	1,1-dichloroethene	NIEA W785.57B	0.00031	mg/L	0.007	ND	-	-	-
3	1,2-dichlorobenzene	NIEA W785.57B	0.00032	mg/L	0.6	ND	-	-	-
4	1,2-dichloroethane	NIEA W785.57B	0.00035	mg/L	0.005	ND	-	-	-
5	1,4-dichlorobenzene	NIEA W785.57B	0.00029	mg/L	0.075	ND	-	-	-
6	benzene	NIEA W785.57B	0.00033	mg/L	0.005	ND	-	-	-
7	Carbon tetrachloride	NIEA W785.57B	0.00030	mg/L	0.005	ND	-	-	-
8	cis-1,2-dichloroethene	NIEA W785.57B	0.00031	mg/L	0.07	ND	-	-	-
9	methylene chloride	NIEA W785.57B	0.00041	mg/L	0.02	ND	-	-	-
10	tetrachloroethene	NIEA W785.57B	0.00033	mg/L	0.005	ND	-	-	-
11	toluene	NIEA W785.57B	0.00031	mg/L	0.7	ND	-	-	-
12	trans-1,2-dichloroethene	NIEA W785.57B	0.00031	mg/L	0.1	ND	-	-	-
13	trichloroethylene	NIEA W785.57B	0.00041	mg/L	0.005	ND	-	-	-
14	vinyl chloride	NIEA W785.57B	0.00004	mg/L	0.0003	ND	-	-	-
15	xylenes	NIEA W785.57B	0.00076	mg/L	0.5	ND	-	-	-

REMARK									



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

飲用水樣品檢測報告

委託單位：宏碁智新股份有限公司
 受驗單位：宏碁智新股份有限公司
 樣品特性：水樣
 樣品編號：NAJ22900473001 (NPD22904349001)
 採樣單位：台灣檢驗科技股份有限公司
 採樣方法：NIEA W101.56A
 採樣地點：新北市汐止區新台五路一段88號9樓

檢測目的：客戶自評
 採樣時間：111年09月27日16時01分
 至：111年09月27日16時03分
 收樣時間：111年09月28日07時51分
 報告日期：111年10月05日
 報告編號：NAJ2290047301
 聯絡人：黃明珠
 電話/傳真：07-3012121ext3169 / 07-3012892

備註：1. 本報告已由核可報告簽署人審核無誤，並簽署於內部報告文件，簽署人如下：
 有機檢測類：周峻名(IGO-04)。

2. 本報告共2頁，分離使用無效。

3. 測定值低於方法偵測極限(MDL)時，以“ND”表示，並註明方法偵測極限(MDL)；若高於MDL但低於檢量線最低濃度時，以“<檢量線最低濃度值”表示，並括號註明實測值。

4. 本報告僅對該樣品負責，不得隨意複製及作為宣傳廣告之用。

聲明書：(一)茲保證本機構檢驗室分析之樣品，自本檢驗室收樣至報告發出之過程，除在委託人/申報人指示下，以本公司人員最佳之專業如能，完全依照行政院環境保護署及有關機關之標準方法及品保品管等相關規定，秉持公正、誠實進行採樣、檢測。絕無虛偽不實，如有違反，就政府機關所受損失願負連帶賠償責任之外，並接受主管機關依法令所為之行政處分及刑事處罰。

(二)吾人瞭解如自身受政府機關委任從事公務，亦屬於刑法上之公務員，並瞭解刑法上圖利罪、公務員登載不實偽造文書及貪污治罪條例之相關規定，如有違反，亦為刑法及貪污治罪條例之適用對象，願受最嚴厲之法律制裁。

公司名稱：台灣檢驗科技股份有限公司高雄分公司

負責人：曾偉明

檢驗室主管：劉士萍

(第1頁，共2頁)

報告專用章
 台灣檢驗科技股份有限公司
 高雄分公司環境實驗室-高雄
 負責人：曾偉明
 檢驗室主管：劉士萍

此報告是本公司依照背面所印之通用服務條款所簽發，此條款可在本公司網站<http://www.sgs.com.tw/Terms-and-Conditions>閱覽，凡電子文件之格式依<http://www.sgs.com.tw/Terms-and-Conditions>之電子文件期限與條件處理。請注意條款有關於責任、賠償之限制及管轄權的約定。任何持有此文件者，請注意本公司製作之結果報告書將應反映執行時所紀錄且於接受指示範圍內之事實。本公司僅對客戶負責，此文件不妨礙當事人在交易上權利之行使或義務之免除。未經本公司事先書面同意，此報告不可部份複製。任何未經授權的變更、偽造、或曲解本報告所顯示之內容，皆為不合法，違犯者可能遭受法律上最嚴厲之追訴。除非另有說明，此報告結果僅對測試之樣品負責。



Analytical Report

Client Name :	AcerPure Inc.	Analytical purpose :	Self-assessment
Testee :	AcerPure Inc.	Sampled date :	2022/09/27 16:01
Matrix :	Water sample	Untill :	2022/09/27 16:03
Sample no. :	NAJ22900473001(NPD22904349001)	Received date :	2022/09/28 07:51
Sampled by :	SGS Taiwan Ltd.	Date reported :	2022/10/05
Sampling method :	NIEA W101.56A	Report no. :	NAJ2290047302
Sampling location :	9F,88, Sec. 1, Xintai 5th Rd. Xizhi, New Taipei City 221, Taiwan	Contact Person :	Ming-Chu Huang
		TEL/FAX :	07-3012121 ext3169 /07-3012892

REMARK : 1. This test report is only responsible for supplied sample(s). Any partial copy or use of advertisement will not be permitted.
2. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
3. If there are any discrepancy, the Mandarin version shall prevail.

Pannu Liu / Manager-Tech.

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.



Page(1of2)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

